

# mesobooster®



by mesoestetic®



## PROTOCOL GUIDELINES

### Pre Booster Preparation

#### Pre procedure: epidermal biostimulation

- Apply 1ml of **mesoeclat** with a rough gauze onto face and neck.

#### Alternative treatments

- **For sensitive skin:** pre cleanse solution.
- **For hyperpigmented skin:** mesopeel melanostop tran3X for 1.5 to 3min and neutralize.
- **For periorcular correction:** mesopeel periorcular for 1.5 min and neutralise.



### mesoboost Rejuvenate: with mesohyal NCTC 109

**For lack lustre, dull and sun damaged skin, ideal for younger clients who want a refreshed appearance.**

- **Products used** - mesofiller global + mesohyal NCTC.
- **Dosage** - 1ml mesofiller global + 3-5 ml NCTC Total volume: 4-6ml (2-3ml per side).
- **Technique** - Retrograde tracer with a 22G 50mm cannula 0.5ml per trace.  
**Entry point:** Lateral high zygomatic arch.  
**Placement:** Superficial deep to skin.
- **Frequency of treatments** - X1 treatment every 3-4 months.



### Dynamic Lines: with mesohyal argibenone

**For dynamic expression lines, periorcular lines and wrinkles, crows feet, perioral lines and dark undereye circles.**

- **Products used** - mesohyal argibenone.



- **Dosage** - Total Volume: 0.6-1ml (0.3-0.5ml per side).
- **Technique** - Retrograde tracer with a 22G 50mm cannula 0.5ml per trace.  
**Entry point:** Malar region.  
**Placement:** Deep for muscle relaxation. Superficial for wrinkles and skin rejuvenation.
- **Frequency of treatments** - X3 treatments 4 weeks apart.
- **Note** - Not to be injected in the same session as Botulinum toxin.

## Restructure & Firm: with mesohyal redenX

**Universal anti-ageing treatment for signs of ageing: Photodamaged skin, thinning skin, loss of superficial fat, static wrinkles & elastosis.**

- **Products used** - mesohyal redenX.
- **Dosage** - Total Volume: 2ml for face and 2ml for neck.
- **Area to be treated** - Lower 2 thirds of the face and neck.
- **Technique** - BAP Technique or retrograde tracer technique with 0.5ml per trace (22-25 G cannula).  
**Placement:** Superficial deep to skin.
- **Frequency of treatments** - X3 treatments 4 weeks apart (2 month follow up).
- **Note** - Blebs may be visible for a few hours post procedure.



## mesoboost Regenerate: with mesohyal organic silicon

**Anti-ageing treatment for dry aged and thinning skin due to collagen loss. Ideal treatment for stretch marks.**

- **Products used** - mesofiller global + mesohyal organic silicon.
- **Dosage** - Total Volume: 6ml, 3ml per side.
- **Technique** - Retrograde tracer technique with a 22-25G Cannula 0.5ml per trace.  
**Placement:** Superficial deep to skin.  
**Entry point:** Lateral high zygomatic arch.
- **Frequency of treatments** - 1 treatment 3-4 monthly.
- **Note** - Organic silicone not indicated in patients with aspirin allergy.



## mesoboost Lift: with mesohyal DMAE

It restores firmness to ageing tissues, counteracting flaccidity.

- **Products used** - mesofiller global + mesohyal DMAE.
- **Dosage** - Total Volume: 6ml, 3ml per side.
- **Technique** - retrograde tracer technique with a 22-25G Cannula 0.5ml per trace.  
**Placement:** Superficial deep to skin.  
**Entry point:** Lateral high zygomatic arch.
- **Frequency of treatments** - 1 treatment 3-4 monthly.
- **Note** - Not to be used in areas where botulinum toxin has been injected.



## mesoboost Brighten: with mesohyal vitamin C

Antioxidant treatment to counteract free radical damage.  
Improvement in hyperpigmentation. Stimulates collagen production.

- **Products used** - mesofiller global + mesohyal vitamin C 20%.
- **Dosage** - Total Volume: 6ml, 3ml per side.
- **Technique** - retrograde tracer technique with a 22-25G Cannula 0.5ml per trace.  
**Placement:** Superficial deep to skin.  
**Entry point:** Lateral high zygomatic arch.
- **Frequency of treatments** - 1 treatment 3-4 monthly.
- **Note** - The vitamin C causes a burning sensation.



## mesoboost Hydration: post care

Post procedure: mesoboost hydration.

- **crystal fiber mask** may be applied directly afterwards to improve sensitivity and enhance hydration.

